



2017

: 0991-3768459  
: 0991-3768459  
: 830000  
:







.....	1
.....	2
.....	6
.....	7
.....	9
.....	15
.....	17
.....	19

	18509099999			833400	
	2014 5			2013 6	
	2013 10			2017 7 9	
	4300		154		3.58%
	2800		516		18.43%
	1		2015.1.1		
	2		682	2017	
	3				
	4	2017 4			
	5			2014	5
	6	26	2014 13	2014	5
	1		B12348-2008		3
	2		B8978-1996		
	3		B5084-2005		

**2.1**

82 20'30" 44 55'10"

2.1-1

**2.2**

66600 <sup>2</sup>

12000 <sup>2</sup>

2

2.2-1

**2.2-1**

			66600	
			12000	1000 <sup>2</sup>
	1#	2	6000	1000 <sup>2</sup>
	2#		1000	
			800	1
			800	1
		2	12000	/
			8000	/
			2500	
			15000	
			1	
	22	3	2640	640 <sup>3</sup>
		3	0	
		3	10	
		3	0	
		2	1000	19000 <sup>2</sup>


**2.3**

2.3-1






		+	+	22	300
		+	+		50
					20
					40
					40
					1
					20
		/	/		516



2.1-1





3.1-1

3.1-1

---

---

## 4.1

1

160 <sup>3/</sup> +

2

980 <sup>3/</sup>

## 4.2

## 4.3

1

1

1

2

---

---

## 4.4

1

1

1

2

2017 7 9

**5.1**

1

5.1-1

5.1-1

**5.1-1**

		B 5	2017.7.9 2017.7.10	4 / 2
			2017.7.9 2017.7.10	4 / 2



**5.1-1**

2

B8978-1996

B5084-2005

5.1-2



5.1-2


		6 9		5.5 8.5	
	/	150	6 B8978-199	100	B5084-2 005
	/	150		200	
B <sub>5</sub>	/	30		100	
	/	10		8	
	/	15		/	
	/	25		/	

3

5.1-3

				mg/m <sup>3</sup>		pH	
		B <sub>5</sub>					
				mg/m <sup>3</sup>			
		28	26.6	143	21.0	7.03	0.44
			24.5	140	22.8	6.17	0.26
2017.7.9			24.0	142	20.5	6.57	0.37
			14	99	21.8	6.51	0.42
	11:30			67	22.5	7.26	0.61
	13:30			91	22.3	5.82	0.57
2017.7.10	15:30	6.7			17.5	4.67	0.57
	17:30	6.82			11.0	4.73	0.82
	12:00	7.79			/	/	/

5.2-1		5.2-2	
<b>5.2-1</b>			
	1# 1	A	2017.7.9 2017.7.10 / 1 2
	2# 1		
	3# 1		
	4# 1		



5.2-1			
2		B12348-2008	3
5.2-2			
<b>5.2-2</b>			

	B(A)		
	65		
	55	B12348-2008	3

3		B12348-2008	3
5.2-3			

**5.2-3**

	A A5688	B12348-2008 3

4

0.5 B

5

5.2-4

5.2-4

			2017 7 9	2017 7 10				
1	1#	1	47.3	36.2	47.2	35.3	65	55
2	2#	1	49.6	38.5	50.2	38.8		
3	3#	1	48.0	37.3	48.2	36.8		
4	4#	1	48.4	37.7	48.5	37.1		

B12348-2008 3

65 B A

55 B A

**5.3**

1

1

3

5.3-1

5.3-1

**5.3-1**

	1#	10		2017.7.9	2017.7.10
	2#	10			
	3#	10			
	4#	10			

4 / 2

4 / 2

4 / 2

4 / 2



**5.3-1 TSP**

2

B16297-1996 2

5.3-2

**5.3-2**

	1.0 / 3	B16297-1996 2

3

5.3-3 5.3-4

**5.3-3 TSP**

		13:00:1400	0.229
		15:00-16:00	0.192
		17:00-18:00	0.210
3#	2017.7.9	11:00-12:00	0.210
		13:00:1400	0.228
		15:00-16:00	0.212
		17:00-18:00	0.211
	2017.7.10	11:00-12:00	0.229
		13:00:1400	0.210
		15:00-16:00	0.173
		17:00-18:00	0.191
4#	2017.7.9	11:00-12:00	0.191
		13:00:1400	0.228
		15:00-16:00	0.232
		17:00-18:00	0.231
	2017.7.10	11:00-12:00	0.210
		13:00:1400	0.229
		15:00-16:00	0.191
		17:00-18:00	0.210

B16297-1996 2

5.4

1

1

1

2

5.5

1000 2

---

---

## 6.1



**6.4**

6.4-1

6.4-1

1	B5084-2005	+ + B5084-2005
2		
3	B12348-2009	B12348-2009
5		1 1
6	30%	1000 <sup>2</sup>

---

---

## 7.1

B8978-1996

B5084-2005

## 7.2

B12348-2008 3

## 7.3

B16297-1996 2

## 7.4

1

1

1

2

## 7.5

+

---


---

100%

1

2

---



	<b>C3033</b>						□	□			
	<b>150 m<sup>2</sup></b>		<b>2013 6</b>		<b>40 m<sup>2</sup></b>				<b>2013 10</b>		
	<b>4300</b>					<b>154</b>	<b>%</b>		<b>3.58</b>		
						<b>[2014]13</b>			<b>2014.5.26</b>		
	<b>/</b>					<b>/</b>			<b>/</b>		
						<b>/</b>			<b>/</b>		
	<b>2800</b>					<b>516</b>	<b>%</b>		<b>18.43</b>		
	<b>350</b>		<b>45</b>	<b>20</b>		<b>80</b>	<b>(</b>	<b>1</b>		<b>20</b>	
	<b>/</b>					<b>/</b>			<b>/</b>		
			<b>833400</b>		<b>18509099999</b>						

(1)

(2)

(3)

(4)

(5)

(6)

(7)

“  
”